(12)

EUROPEAN PATENT APPLICATION


(88) Date of publication A3: 15.01.1997 Bulletin 1997/03

(51) Int Cl.6: H04B 7/08

- (43) Date of publication A2: 30.10.1996 Bulletin 1996/44
- (21) Application number: 96302974.9
- (22) Date of filing: 26.04.1996
- (84) Designated Contracting States: **DE FR GB**
- (30) Priority: 27.04.1995 JP 104433/95
- (71) Applicant: SHARP KABUSHIKI KAISHA Osaka 545 (JP)
- (72) Inventor: Ohashi, Masakazu Tenri-shi, Nara-ken (JP)
- (74) Representative: Brown, Kenneth Richard et al R.G.C. Jenkins & Co.
 26 Caxton Street London SW1H 0RJ (GB)

(54) Diversity radio communication system

The pair of radio communication apparatuses of this invention on a transmitter side and a receiver side conduct data transmission and receiving through radio communication by a space diversity method where a plurality of antennas are switched therebetween, wherein the radio communication apparatus on the transmitter side includes a transmission circuit for conducting data transmission and a transmitting antenna switch circuit for selecting a transmitting antenna among a plurality of transmitting antennas for transmitting radio waves and connecting the selected transmitting antenna to the transmission circuit, and the radio communication apparatus on the receiver side includes a receiving circuit for conducting data receiving and a receiving antenna switch circuit for selecting a receiving antenna among a plurality of receiving antennas on the receiver side the radio waves and connecting the selected receiving antenna to the receiving circuit.





EUROPEAN SEARCH REPORT

Application Number EP 96 30 2974

DOCUMENTS CONSIDERED TO BE RELEVANT				
Category	Citation of document with indication, where appropriate,		Relevant to claim	CLASSIFICATION OF THE APPLICATION (Inl.Cl.6)
X A Y	EP-A-0 622 911 (IBM) 2 November 1994 * column 1, line 2 - line 9 * * column 2, line 26 - column 3, line 11 * * column 10, line 11 - line 40; claims 2,5		1,2,15, 16 3,5 4	H04B7/08
A	vol. 73, no. 3, ISSN pages 1-13, XP000149 TAKEUCHI T ET AL: "on fading reduction antenna pattern dive variable multithresh strategy" * page 6, right-hand page 7, left-hand co	NS), MARCH 1990, USA, 8756-6621, 065 Experimental studies by four-direction exity reception with hold switching column, line 13 - 10 column, line 20 * JAPAN E-023), 27 August 1980	1,15	TECHNICAL FIELDS SEARCHED (Inl(1.6) H04B
A	PATENT ABSTRACTS OF vol. 014, no. 483 (1)	E-0993), 22 October IPPON TELEGR & TELEPH	1,15	
	The present search report has t	been drawn up for all claims		
	Place of search Date of completion of the search			Examiner
ē	THE HAGUE 18 November 1996 Canali, F		anali, F	
X: A:	CATEGORY OF CITED DOCUME particularly relevant if taken alone particularly relevant if combined with as document of the same category technological background non-written disclosure intermediate document	UMENTS T: theory or principle underlying the lavention E: earlier patent document, but published on, or after the filing date		

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

□ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)